

New Rotating - Tilting Table for Tool Manufacturing Combines Highest Dynamics with Precision

HIRSCHMANN GMBH developed 2-axial rotary indexing table for serial laser machining at maximum speed

New developed 2-axial rotary indexing table by HIRSCHMANN GMBH for laser applications in tool manufacturing for the first time combines maximum speed and highest precision. Designed on behalf of customer's order this solution can be seen on trade fair EMO from 18th till 23rd of September, 2017 in Hannover (hall 13, stand C101). The innovation is setting new standards in efficient laser machining of parts with tight curve radius or complex shapes. The presented changes of motion require acceleration profiles, lying at the limits of technical possibilities.

„In this motion combination of rotating and tilting extremely high acceleration values on the T-axis and the R-axis are reached“ says Rainer Harter, CTO of HIRSCHMANN GMBH. In cooperation with engine manufacturer Etel the company succeeded to reach the speeds requested by customer on a 2-axial rotary indexing table. For machining of parts a simultaneous motion between tilting and rotating axis is necessary, controlled by overall control system of production line.

Permanent High Speed

With this application in serial production extremely robust tools for milling and turning processes are made. The contour is cutted out of basic material by an water guided and thus cooled laser beam, that is responsible also for finishing. The task of the rotary indexing table is to pass the work pieces – PCD (polycrystalline diamonds) or MCD (monocrystalline diamonds), hard metals or ceramics – directly along the laser beam.


And this in an exactly defined angle, in appropriate radius and with constant speed. Rainer Harter: „Even this was the special challenge. Because the laser has a defined energy content, a constant traverse speed is requested for precise material removal.“

The new development of HIRSCHMANN GMBH meets all parameters, requested by Synova, a manufacturer from Switzerland specialized on manufacturing of laser machining equipment. "Hereby we reach acceleration values, that will enter new dimensions" says Rainer Harter. To reach this level intensive coordination with engine manufacturer Etel was necessary. The rotating-tilting table has a direct drive in both T-axial modules (tilting) and also integrated is a high-precise measuring system and the break function. The R-axis (rotation) is designed as rocker, equipped with own drive and an additional measuring system. Integrated in R-axis is the high-precise chuck HSK - A 63, developed by HIRSCHMANN, for clamping of work pieces to be machined. This compact clamber is especially designed for applications in tool machining. "The great advantage for our customers is, that we can deliver all out of one source. As a result of a complex manufacturing process and sophisticated assembling methods the component parts are adjusted to each other precisely and harmonize at its best", so Rainer Harter. The 2-axial rotating-tilting table is delivered by HIRSCHMANN as completely assembled unit, putting into service is made at works on a special test bench. "This allows us to guarantee functioning, to measure accuracy and to check performance data", argues HIRSCHMANN CTO.

The New Development also Optimizes Cutting Actions

At the first step the 2-axial rotary indexing table made by HIRSCHMANN is used for laser applications. But it is planned, that the innovation is applied also for milling operation and other cutting actions, where higher accuracies are required. Thus precision of parts and machining processes can be improved and operating efficiency can be increased significantly.

Rotating – Tilting Table combines highest dynamics with precision		T-Axis	R-Axis
Rotation axis		horizontal	vertikal
Dimensions L / B / H	mm	1.195 / 400 / 452	
Diameter of face plate	mm	/	180
Speed	U/min.	/	1.200
Total weight	kg		425
Permanent magnetic brake – holding force	Nm	140	/
Concentric and axial run-out	mm	< 0,003	
Integrated precision chuck Hirschmann HSK 63 A	Angularity / Stagger acc. base (in distance 100mm)	mm	< 0,002
	Parallelism acc. base	mm	< 0,002
Heidenhain Angle encoder module	System accuracy	sec	±0,9 ±0,9
Hirschmann GmbH / 2017 09			



2-axis Rotary Indexing Table for seriell laser machining with maximum speed. Foto:
HIRSCHMANN GMBH

For download of pictures and text, please click here: www.hirschmanngmbh.de/Presse

Visit us on Expo



18. - 23.09.2017 / Hannover / Germany
Halle 13, Stand C101

Your contact person:

Bernd Reiner / +49 175 2686147 / bernd.reiner@js-hirschmann.com

About HIRSCHMANN

For more than 60 years HIRSCHMANN develops and manufactures trendsetting products amongst others for vehicle construction, motor sport, aerospace, railed vehicles, mechanical engineering, naval architecture and wind power plants. Core competences lie in the three product lines Rod Ends and Spherical Bearings, Rotary Indexing Tables and Reference Systems. In these sectors HIRSCHMANN has extensive expert knowledge as well as experience for decades and can offer beside a varied standard assortment also customer-specific solutions. The medium-sized enterprise from Baden-Württemberg with sales companies in US and China actually has about 200 employees.